

Bibliografia

ADAMS, M. A.; JOHNSON, W. D.; TUDOR-LOCKE, C. (2013). «Steps/day translation of the moderate-to-vigorous physical activity guideline for children and adolescents». *International Journal of Behavioral Nutrition and Physical Activity*, núm. 10, p. 49.

ALTHOFF, T.; WHITE, R. W.; HORVITZ, E. (2016). «Influence of Pokémon Go on Physical Activity: Study and Implications». *Journal of Medical Internet Research*, núm. 18(12), p. 315.

ASH, T. [et al.] (2017). «Family-based childhood obesity prevention interventions: a systematic review and quantitative content analysis». *International Journal of Behavioral Nutrition and Physical Activity*, núm. 14(1), p. 113.

AUSTRALIAN GOVERNMENT; DEPARTMENT OF HEALTH. «Australia's Physical Activity and Sedentary Behaviour Guidelines. National Physical Activity Recommendations for Children 0-5 Years» [en línia]. <www.health.gov.au>

© Anna M. Puig i Joan Rusiñol. *Mou-te! La revolució de seure menys des de petits*. Vic: Eumo Editorial, 2018.

MOU-TE!

AUSTRALIAN GOVERNMENT; DEPARTMENT OF HEALTH. «Australia's Physical Activity and Sedentary Behaviour Guidelines. National Physical Activity Recommendations for Children 5-12 Years» [en línia]. <www.health.gov.au>

AUSTRALIAN GOVERNMENT; DEPARTMENT OF HEALTH. «Australia's Physical Activity and Sedentary Behaviour Guidelines. National Physical Activity Recommendations for Children 13-17 Years» [en línia]. <www.health.gov.au>

AUSTRALIAN GOVERNMENT; DEPARTMENT OF HEALTH. «Australia's Physical Activity and Sedentary Behaviour Guidelines. National Physical Activity Recommendations for families» [en línia]. <www.health.gov.au>

BENÍTEZ-PORRES, J. [et al.] (2016). «Cut-off values for classifying active children and adolescents using the Physical Activity Questionnaire: PAQ-C and PAQ-A». *Nutrición Hospitalaria*, núm. 33(5), p. 564.

BENÍTEZ-PORRES, J. [et al.] (2016). «Reliability and Validity of the PAQ-C Questionnaire to Assess Physical Activity in Children». *Journal of School Health*, núm. 86(9), p. 677-685.

BMI-FOR-AGE-GIRLS [en línia]. <http://www.who.int/growthref/cht_bmifa_girls_perc_5_19years.pdf?ua=1>

BMI-FOR-AGE-BOYS [en línia]. <http://www.who.int/growthref/cht_bmi_fa_boys_perc_5_19years.pdf?ua=1>

© Anna M. Puig i Joan Rusiñol. *Mou-te! La revolució de seure menys des de petits*. Vic: Eumo Editorial, 2018.

Bibliografia

BROWN, H. E. [et al.] (2016). «Family-based interventions to increase physical activity in children: a systematic review, meta-analysis and realist synthesis». *Obesity Reviews*, núm. 17(4), p. 345-360.

CANADIAN SOCIETY FOR EXERCISE PHYSIOLOGY (2012). «Canadian Physical Activity Guidelines. Canadian Sedentary Behaviour Guidelines (5-11 years)» [en línia]. <www.csep.ca/guidelines>

CANADIAN SOCIETY FOR EXERCISE PHYSIOLOGY (2012). «Canadian Physical Activity Guidelines. Canadian Sedentary Behaviour Guidelines (0-4 years)» [en línia]. <www.csep.ca/guidelines>

CANADIAN SOCIETY FOR EXERCISE PHYSIOLOGY (2012). «Canadian Physical Activity Guidelines. Canadian Sedentary Behaviour Guidelines (12-17 years)» [en línia]. <www.csep.ca/guidelines>

CARSON, V. [et al.] (2016). «Associations between sleep duration, sedentary time, physical activity, and health indicators among Canadian children and youth using compositional analyses». *Applied Physiology, Nutrition, and Metabolism*, núm. 41(6), supl. 3, p. 294-302.

CARSON, V. [et al.] (2016). «Systematic review of sedentary behaviour and health indicators in school-aged children and youth: an update». *Applied Physiology, Nutrition, and Metabolism*, núm. 41(6), supl. 3, p. 240-265.

CARSON, V. [et al.] (2017). «Systematic review of the relationships between physical activity and health indicators in the early years (0-4 years)». *BMC Public Health*, núm. 17, supl. 5, p. 854.

© Anna M. Puig i Joan Rusiñol. *Mou-te! La revolució de seure menys des de petits*. Vic: Eumo Editorial, 2018.

CHAPUT, J. P. [et al.] (2017). «Systematic review of the relationships between sleep duration and health indicators in the early years (0-4 years)». *BMC Public Health*, núm. 17, supl. 5, p. 855.

CHILLÓN, P. [et al.] (2011). «A systematic review of interventions for promoting active transportation to school». *International Journal of Behavioral Nutrition and Physical Activity*, núm. 8, p. 10.

CHILLÓN, P. [et al.] (2014). «A cross-sectional study of demographic, environmental and parental barriers to active school travel among children in the United States». *International Journal of Behavioral Nutrition and Physical Activity*, núm. 11, p. 61.

CHILLÓN, P. [et al.] (2015). «A longitudinal study of the distance that young people walk to school». *Health & Place*, núm. 31, p. 133-137.

CLEMES, S. A.; BIDDLE, S. J. (2013). «The use of pedometers for monitoring physical activity in children and adolescents: measurement considerations». *Journal of Physical Activity and Health*, núm. 10(2), p. 249-262.

CLIFF, D. P. [et al.] (2017). «Adherence to 24-Hour Movement Guidelines for the Early Years and associations with social-cognitive development among Australian preschool children». *BMC Public Health*, núm. 17, supl. 5, p. 857.

COMMUNITY PREVENTIVE SERVICES TASK FORCE (2017). «Recommendations for family-based interventions to increase physical activity». *Morbidity and Mortality Weekly Report*, núm. 66(18), p. 489.

© Anna M. Puig i Joan Rusiñol. *Mou-te! La revolució de seure menys des de petits*. Vic: Eumo Editorial, 2018.

Bibliografia

DEPARTAMENT DE SALUT, GENERALITAT DE CATALUNYA (2015). *Assolint fites: Avaluació dels objectius de salut i de disminució de risc del Pla de salut de Catalunya 2011-2015*. Barcelona: Generalitat de Catalunya.

DOUGLAS, L. [et al.] (2017). «Urban and suburban children's experiences with school travel - A case study». *Journal of Transport & Health*, núm. 4, p. 305-315.

FORDE, C.; HUSSEY, J. (2015). «How Children Use Active Videogames and the Association Between Screen Time and Physical Activity». *Games for Health Journal*, núm. 4(4), p. 312-317.

FUNDACIÓN PARA LA INVESTIGACIÓN NUTRICIONAL (2016). «Informe 2016: Actividad Física en niños y adolescentes en España».

GAMMON, C. S. [et al.] (2014). «Contribution of Active Videogame Play to Physical Activity Among College Students». *Games for Health Journal*, núm. 3(6), p. 395-398.

GINJA, S. [et al.] (2017). «Feasibility of an incentive scheme to promote active travel to school: a pilot cluster randomised trial». *Pilot and Feasibility Studies*, núm. 3, p. 57.

HARDY, L. L. [et al.] (2017). «Children's adherence to health behavior recommendations associated with reducing risk of non-communicable disease». *Preventive Medicine Reports*, núm. 8, p. 279-285.

© Anna M. Puig i Joan Rusiñol. *Mou-te! La revolució de seure menys des de petits*. Vic: Eumo Editorial, 2018.

HERRADOR-COLMENERO, M.; VILLA-GONZÁLEZ, E.; CHILLÓN, P. (2017). «Children who commute to school unaccompanied have greater autonomy and perceptions of safety». *Acta Paediatrica*, núm. 106(12), p. 2042-2047.

JORONEN, K.; AIKASALO, A.; SUVITIE, A. (2017). «Nonphysical effects of exergames on child and adolescent well-being: a comprehensive systematic review». *Scandinavian Journal of Caring Sciences*, núm. 31(3), p. 449-461.

KUZYK, N. [et al.] (2017). «Systematic review of the relationships between combinations of movement behaviours and health indicators in the early years (0-4 years)». *BMC Public Health*, núm. 17, supl. 5, p. 849.

LAROCHE, R. [et al.] (2014). «Associations between active school transport and physical activity, body composition, and cardiovascular fitness: a systematic review of 68 studies». *Journal of Physical Activity and Health*, núm. 11(1), p. 206-227.

LAROCHE, R. [et al.] (ISCOLE Research Group) (2015). «Are the correlates of active school transport context-specific?». *International Journal of Obesity Supplements*, núm. 5, supl. 2, p. 89-99.

LEBLANC, A. G. (ISCOLE Research Group) [et al.] (2015). «Correlates of Total Sedentary Time and Screen Time in 9-11 Year-Old Children around the World: The International Study of Childhood Obesity, Lifestyle and the Environment». *Plos One*, núm. 10.

© Anna M. Puig i Joan Rusiñol. *Mou-te! La revolució de seure menys des de petits*. Vic: Eumo Editorial, 2018.

Bibliografia

LEE, E. Y. *et al.* (2017). «Meeting new Canadian 24-Hour Movement Guidelines for the Early Years and associations with adiposity among toddlers living in Edmonton, Canada». *BMC Public Health*, núm. 17, supl. 5, p. 840.

LIN, Y. [*et al.*] (ISCOLE Research Group) (2017). «Temporal and bi-directional associations between sleep duration and physical activity/sedentary time in children: An international comparison». *Preventive Medicine* [en premsa].

LOYEN, A.; VERLOIGNE, M.; VAN HECKE, L. (2016). «Variation in population levels of physical activity in European adults according to cross-European studies: a systematic literature review within DE-DIPAC». *International Journal of Behavioral Nutrition and Physical Activity*, núm. 13, p. 72.

MIELGO-AYUSO, J. [*et al.*] (2017). «Sedentary behavior among Spanish children and adolescents: findings from the ANIBES study». *BMC Public Health*, núm. 17(1), p. 94.

OKELY, A. D. [*et al.*] (2017). «A collaborative approach to adopting/adapting guidelines - The Australian 24-Hour Movement Guidelines for the early years (Birth to 5 years): an integration of physical activity, sedentary behavior, and sleep». *BMC Public Health*, núm. 17, supl. 5, p. 869.

PENG, W.; CROUSE, J. C. (2013). «Using active video games for physical activity promotion: a systematic review of the current state of research». *Health Education & Behavior*, núm. 40(2), p. 171-192.

© Anna M. Puig i Joan Rusiñol. *Mou-te! La revolució de seure menys des de petits*. Vic: Eumo Editorial, 2018.

POITRAS, V. J. [et al.] (2016). «Systematic review of the relationships between objectively measured physical activity and health indicators in school-aged children and youth». *Applied Physiology, Nutrition, and Metabolism*, núm. 41(6), supl. 3, p. 197-239.

POITRAS, V. J. [et al.] (2017). «Systematic review of the relationships between sedentary behaviour and health indicators in the early years (0-4 years)». *BMC Public Health*, núm. 17, supl. 5, p. 868.

REY-LÓPEZ, J. P. (HELENA Study Group) [et al.] (2012). «Reliability and validity of a screen time-based sedentary behaviour questionnaire for adolescents: The HELENA study». *European Journal of Public Health*, núm. 22(3), p. 373-377.

RODRIGUES, D.; PADEZ, C.; MACHADO-RODRIGUES, A. M. «Active parents, active children: The importance of parental organized physical activity in children's extracurricular sport participation». *Journal of Child Health Care*, núm. 22(1), p. 159-170.

RODRÍGUEZ-LÓPEZ, C. [et al.] (2017). «The Threshold Distance Associated With Walking From Home to School». *Health Education & Behavior*, núm. 44(6), p. 857-866.

ROMAN-VIÑAS, B. [et al.] (ISCOLE Research Group) (2016). «Proportion of children meeting recommendations for 24-hour movement guidelines and associations with adiposity in a 12-country study». *International Journal of Behavioral Nutrition and Physical Activity*, núm. 13(1), p. 123.

© Anna M. Puig i Joan Rusiñol. *Mou-te! La revolució de seure menys des de petits*. Vic: Eumo Editorial, 2018.

Bibliografia

ROMAN-VIÑAS, B. [et al.] (2016). «Results From Spain's 2016 Report Card on Physical Activity for Children and Youth». *The Journal of Physical Activity and Health*, núm. 13(11), supl. 2, p. 279-283.

SAMPASA-KANYINGA, H. [et al.] (2017). «Associations between meeting combinations of 24-h movement guidelines and health-related quality of life in children from 12 countries». *BMC Public Health*, núm. 153, p. 16-24.

SARA, M. [et al.] (2016). «Understanding parents' school travel choices: A qualitative study using the Theoretical Domains Framework». *Journal of Transport & Health*, núm. 4, p. 278-293.

SARMIENTO, O. L. [et al.] (2015). «Relationships between active school transport and adiposity indicators in school-age children from low-, middle- and high-income countries». *International Journal of Obesity Supplements*, núm. 5, supl. 2, p. 107-114.

SAUNDERS, T. J. [et al.] (2016). «Combinations of physical activity, sedentary behaviour and sleep: relationships with health indicators in school-aged children and youth». *Applied Physiology, Nutrition, and Metabolism*, núm. 41(6), supl. 3, p. 283-293.

SCHOEPPE, S. [et al.] (2016). «Efficacy of interventions that use apps to improve diet, physical activity and sedentary behaviour: a systematic review». *International Journal of Behavioral Nutrition and Physical Activity*, núm. 13(1), p. 127.

© Anna M. Puig i Joan Rusiñol. *Mou-te! La revolució de seure menys des de petits*. Vic: Eumo Editorial, 2018.

SMITH, L. [et al.] (2015). «Walking school buses as a form of active transportation for children-a review of the evidence». *Journal of School Health*, núm. 85(3), p. 197-210.

STIERLIN, A. S. [et al.] (2015). «DEDIPAC consortium. A systematic review of determinants of sedentary behaviour in youth: a DEDIPAC-study». *International Journal of Behavioral Nutrition and Physical Activity*, núm. 12, p. 133.

TREMBLAY, M.S. [et al.] (2017). «Canadian 24-Hour Movement Guidelines for the Early Years (0-4 years): An Integration of Physical Activity, Sedentary Behaviour, and Sleep». *BMC Public Health*, núm. 17, supl. 5, p. 874.

TUDOR-LOCKE, C. [et al.] (2009). «Expected values for pedometer-determined physical activity in youth». *Research Quarterly for Exercise and Sport*, núm. 80(2), p. 164-174.

TUDOR-LOCKE, C. [et al.] (2011). «How many steps/day are enough? For children and adolescents». *International Journal of Behavioral Nutrition and Physical Activity*, núm. 8, p. 78.

VILLA-GONZÁLEZ, E. [et al.] (2017). «Effects of a school-based intervention on active commuting to school and health-related fitness». *BMC Public Health*, núm. 17(1), p. 20.

VILLA-GONZÁLEZ, E.; RUIZ, J. R.; CHILLÓN, P. (2015). «Associations between Active Commuting to School and Health-Related Physical Fitness in Spanish School-Aged Children: A Cross-Sectional Study». *International Journal of Environmental Research and Public Health*, núm. 12(9), p. 10362-10373.

© Anna M. Puig i Joan Rusiñol. *Mou-te! La revolució de seure menys des de petits*. Vic: Eumo Editorial, 2018.

Bibliografia

WORLD HEALTH ORGANIZATION (2010). *Global recommendations on physical activity for health*. Ginebra: World Health Organization.

WORLD HEALTH ORGANIZATION (2013). *Global Action Plan for the prevention and control of noncommunicable diseases 2013-2030*. Ginebra: World Health Organization.

WORLD HEALTH ORGANIZATION (2014). *Global Status Report on Non-communicable Diseases*. Ginebra: World Health Organization.

© Anna M. Puig i Joan Rusiñol. *Mou-te! La revolució de seure menys des de petits*. Vic: Eumo Editorial, 2018.